

VARI[®]
POWERED by **HONDA**[™]



EN

www.vari.cz/en

ABOUT VARI



Dear customers and Vari brand fans.

Welcome to the season 2012 with a new VARI catalogue. This part contains modular systems – VARI minitractors. We keep faith in our idea of easy-to-use machines and again we extend possibilities how to combine all modular functions, which Vari system offers, with no need of assembly tools at all.

We proudly present a major innovation of the bigger gear-box DSK-317/S this year. The „axial pin“ was replaced with a very durable and comfortable solution enabling to change the wheels for a rotary tiller within a minute. The long half-axes and two cotters allow a toolless switch of minitractor into the rotary tiller right on the field. The upgraded gear-box is completely waterproof thanks to a unique system of oil seals, which is being used for the first time in this category. There is a big change in driving units as well. Powerful low consumption HONDA engines have a weight-optimised flange, new handlebar with the possibility of set up from the operator's position and superb integrated anti-vibration system.

The long expected new product is an aerator and scarifier for the owners of Terra-Vari engines and a potato planter for devoted growers.

More and more people are returning to native-grown crops, more and more people are breeding domestic animals, more and more people are burning firewood. That's where VARI is an essential helper, which you can completely rely on. We do our best to keep VARI as a traditional reliable Czech brand, which will always take care of you and your machines. The long tradition of production and superior quality are our top priorities.

Tomas Belinger, M.B.A.
business director – VARI, a.s.



WHY VARI

■ VARI uses a genius concept – just one engine for several different adapters. Both powerful and ecological HONDA engines are easy to start even for women and its consumption is only 0,8 litre per hour.

■ The advanced three-arm automatic clutch saves the engine. Unlike “the belt cultivators” with their typical pluck when you try to drive off, the start of the machine with our clutch is completely smooth. And above all you don’t have to hold the lever all the time.

■ You don’t have to switch the belts to change the gear and you don’t have to set up the implements in VARI minitractor. You can just plug in the engine and fix it with a pair of clamps to either a small gearbox with an active equipment drive or a heavy plough gearbox with a four-speed direct transmission.

■ The main gearbox of the VARI minitractor, whose gears work in the oil bath, is 3-speed with reverse. The first gear is very powerful and is meant for ploughing. The second one is for the rotary tiller or it can drag the trailer up the hill. The third one drives the tractor up to 13,5 km/h. You can drive even hundreds meters up the hill with the reverse. The friction reverse of belt-driven cultivators is usable only for emergency pluck back; you can’t use it for a longer ride! Our minitractors have 12” wheels mounted on a drive axle, with freewheel hub and a three-position differential lock.

■ The gearbox with active equipment drive is very easy to manipulate with due to a small weight and arrow-shaped tyres with a wide wheel track. You will always appreciate genius construction of VARI machines – during cutting skew areas, ditches or under the trees. Competition cultivators are usually too big to operate under the trees or they are flipping over in the ditches.

■ “Technical gifted” customers could be interested in hypoid gears, forged blades made of the high-quality steel, four sturdy cutting blades, trailer sprung seat and other “tweaks”. Everybody should appreciate outstanding durability and how user-friendly VARI machines are.



Scan QR code with your smartphone and find out more about VARI machines.

www.vari.cz/en
Section ABOUT US

MINITRACTORS



The main production line in VARI, a. s. is the traditional product – universal multifunctional machine – a minitractor. The VARI minitractor allows you to do variety of so different tasks such as soil cultivation (ploughing, loosening, planting potatoes, etc.), cutting high-grown grass or cleaning snow.

No other universal machine in class 4 – 6 HP can satisfy such contradictory customers' demands. Thanks to more than 40 years of experience, VARI uses the concept of one driving unit and two gearboxes. This brings a practical solution to meet our customers' demands. It handles hard work on the field, in the garden, in the greenhouse or in professional area in municipal services helping to maintain up to medium-sized areas.



The VARI minitractors are amazing because there is a need of only one engine – the HONDA driving unit with a centrifugal clutch for all tasks! It powers all accessories and two gearboxes: the DSK-316 with the active equipment drive to connect drum mower, cylindrical brush, snow thrower etc. and the DSK-317 for soil cultivation. These two gearboxes are essential, because grass cutting requires lightweight machine and soil cultivation strong and heavy one – there is no compromise here.

Our gearboxes DSK-316 and DSK-317 have a big advantage compared to the belt-driven cultivators – easy engine and accessories plug-in system. For example if you need a potato planter instead of drum mower, you just have to unplug the engine from the DSK-316 gearbox and fix it to the DSK-317 gearbox with a pair of clamps in a few seconds. You don't have to complicatedly set up any belts. The machine is ready to work really quickly.

Check out our complete offer of minitractors and get some inspiration which machine would you like to have assembled by one of our professional dealers.

DETAILS OF THE MINITRACTORS



CROSS SECTION OF THE DSK-317 AND DSK-316 GEARBOXES



MODULAR SYSTEM

VARI MODULAR SYSTEM
IS AMAZING!
I CAN ASSEMBLE ANY MACHINE I
NEED JUST WITHIN A MINUTE

plugging the engine to the
four-speed gearbox gives me
sturdy minitractor




driving unit weight
is only 20 kg

engine connected
in 10 seconds

I just assemble handy,
light machine whenever I need to
cut the grass, doesn't matter if
under the trees or in the ditch



I just plug the drum mower, brush or
snow thrower into the active drive
and I don't have to set it up



GLOBAL MINITRACTORS



VARI GLOBAL minitractor with the gearbox DSK-317.1/S is meant for heavy duties as a soil cultivation, rotary tilling or transport of a cargo. You can connect one way plough or swing one, potato digger, cultivator, smoothing harrow, spike tooth harrow, cultivator with roller, potato hiller, dozer blade, potato planter or tipping trailer. It becomes a professional rotary tiller with working widths from 60 to 125 cm just by changing the drive axle for a rotary tiller (fixed just by a pair of pins). You can choose the rotary tiller blades depending on your soil type. Connecting other accessories is enabled by the hitch Z-01, hitch with weight carrier BZN-002 and adjusting element NT-3.



The driving unit engines HONDA GCV 160, GCV 190 or GSV 190 power the gearbox. The engines have a security switch which can stop the machine in case of emergency and an automatic centrifugal clutch that grants minitractor fluent drive off. Essential improvements are weight-optimised flange and integrated anti vibration system.

Bottom part of the innovated gearbox DSK-317.1/S is completely waterproof thanks to the unique system of oil seals. These are used for the first time in the minitractor category. The gearbox is 3-speed with reverse and has hypoid gears working in the oil bath. Shifting by the gear change lever is very simple unlike the complicated set up of belt cultivators. The first gear is meant to plough, to cultivate soil before potato planting or to drag the heavy load up the hill. The second one drives the trailer full of logs from the wood or ploughs snow with a dozer blade. As well as cultivates soil with the rotary tiller. The third gear quickly drives the minitractor on the roads. There is a smart helper – arrestment of the gears. If you plug arrestment bar in (in neutral – 0 position) you can shift only the first gear and reverse. It makes the handling of the minitractor easier and simpler, e.g. when you are ploughing.

DETAILS OF THE GLOBAL MINITRACTORS



SHIFTING AS IN A CAR



WHEELS ARRESTMENT
– EASY MANIPULATION



GLOBAL MINITRACTORS

DRIVING VARI MINITRACTOR
IS AS EASY AS DRIVING A CAR!

I'm shifting a gear
and accelerating
very smoothly

when I put all
the weights ploughing
is piece of cake

I can put the freewheel
flexible finger into the idle position
and turn around in the end of a furrow
without effort

I've
learned how
to set up
the plough
thanks to
Vari videos
then perfect
furrows are
easily done



GLOBAL DRIVING UNIT

DETAIL OF GLOBAL DRIVING UNIT




HORIZONTAL AND VERTICAL SETUP OF THE HANDLEBAR

DETAIL OF GLOBAL DRIVING UNIT



SUSPENSION ELIMINATES VIBRATIONS

DETAIL OF GLOBAL DRIVING UNIT




WEIGHT OPTIMISED FLANGE + ARRESTMENT OF THE CLAMP

NEW
2012

POWERED by **HONDA**

THREE-ARM CLUTCH



- low weight – just 20 kg
- new flange with anti vibration system of connecting handlebars
- vibration decrease of 20 %
- handlebar horizontal and vertical set up from the operator's position
- compact design
- outstanding ergonomics
- automatic centrifugal clutch
- three engine types
 - HONDA GCV 160
 - HONDA GCV 190
 - HONDA GSV 190 semi-professional engine



NEW GLOBAL DRIVE AXLE

NEW
2012



ARRESTMENT OF A WHEEL OF THE DRIVE AXLE (RIGHT WHEEL)

we set it up to go forward



we set it up to go backwards



POSITION FORWARD/BACKWARDS

ARRESTMENT OF A WHEEL OF THE DRIVE AXLE (RIGHT WHEEL)

we set it up during ploughing etc




we set it up during manual transport



POSITION TO THE CENTRE/ON THE CAST

SIMPLE CHANGE (OF WHEELS FOR ROTARY TILLER)



WITHOUT ANY TOOLS


- new 12" wheels with arrow shaped tyres
- new tyre tread for better adhesion
- easy swapping of the wheels for a rotary tiller by pulling out safety pin
- improved control of the wheel arrestment
- weight of fully fitted gearbox is 95 kg
- possibility of using ploughing girdles
- possibility of upgrade to ploughing wheels



www.vari.cz/en
Section PRODUCTS/NEW PRODUCTS

GLOBAL LOOSENING DEVICE

EASY MOUNTING OF GLOBAL LOOSENING DEVICE



THANKS TO HALF-AXLES AND ARRESTMENT PIN

TYPES OF LOOSENING DEVICES GLOBAL KUK



KUK-96

KUK-125

TYPES OF LOOSENING DEVICES GLOBAL KUR



KUR-70

KUR-112



The original forged VARI blades are produced in two versions – with the lance blades (KUK – for heavy soils) and the angular blades (KUR – for light loam soils).

Changing the drive axle for a soil loosening device is a brand new system of half axles secured by pins, so you can do it completely without tools – there is no more “the long axle pin”.

KUK-96 - KUK-125

- forged VARI blades – width 40 mm
- you can decrease the width of KUK-96 from 96 cm to 83 cm by turning the spikes inside
- KUK-125 has working width of 125 cm

KUR-70 - KUR-112

- forged VARI blades – width 40 mm
- you can decrease the width of KUR-70 from 70 cm to 60 cm by turning the spikes inside
- KUR-112 has working width of 112 cm



SAMPLES OF SETS OF DSK-317

SPECIAL
OFFER
2013

VARI IV minitractor + ANV-350 tipping trailer
special price



*The purchase of the set is
always more favourable!*

*THERE IS A WIDE RANGE OF VARI
PRODUCTS, EVERYBODY CAN CHOOSE*

VARI IV minitractor + DSK-316.1PSVN
with HONDA GCV 160 engine
special price

product No.

4277



VARI IV rotary tiller
with HONDA GCV 160 engine
and loosening device AKY-358 (width 80 cm)
special price

product No.

3850A



HONDA
GCV 160

product No.

4216

HONDA
GCV 190

product No.

4253

HONDA
GSV 190

product No.

4419



www.vari.cz/en

Section PRODUCTS/VARI MINITRACTORS/DSK-317 MINITRACTORS

GLOBAL / DSK-317 ACCESSORIES



ANV-350 tipping trailer

load capacity up to 350 kg
reflecting glasses, sprung ergonomic seat, wide bantam wheels
product No. 4213

INNOVATION
2012

- sprung seat
- footrests
- footbrake with locking position
- hitch with adjustment of height



AV-3 implement carrier

for cultivation of larger areas
product No. 3791



BZN-002 hitch with weight carrier

product No. 4269



NT-3 adjusting element

for connection and adjustment
of VARI passive implements
product No. 3711



APH-352 swing plough

working width / depth: 18 cm
product No. 3611



APJ-018 one way plough R/L

working width / depth: 18 cm
product No. 3612 (R), 3635 (L)



for light loam
soils

AVR-453 digging share

working depth: 12 cm
product No. 3618



for heavy
soils

AVB-400 digging share

working depth: 12 cm
product No. 3664

INNOVATION
2012

- more adjusting elements to
set up the potato hillers



Two SV-1 potato hillers with NM1-001 carrier

product No. 2x3609 + 3608

SV-1 potato hiller

product No. 3609

GLOBAL / DSK-317 ACCESSORIES



K-720 cultivator with roller
working width: 70 cm
product No. 3770



Spike-tooth harrow
ABR-354 – two-row
BH-138 – three-row
working width: 50-90 cm
90-138 cm
product No. 3613, 3614



S-1000 smoothing harrow
working width: 100 cm
product No. 3671



AKY-356 cultivator
working width: 70 cm
product No. 3616



Passive hoe
for NM1-001 carrier (2 hoes
side by side) or to share holder
N-3
product No. 3769



ASR-850 dozer blade
working width: 85 cm
product No. 3808

NEW
2012

PT-1000 scarifier
11 star-shaped blades
with 121 spikes
and transport wheels
product No. 4398



NEW
2012

SB-40 potato planter
automatic single-row cup type
potato planter mounted to the
front holder with bin holding up
to 20 kg
wheel gauge 61 cm
product No. 4363



NEW
2012

VT-1000 roller
working width: 100 cm
roller diameter: 32 cm
weight: 49/130 kg
simple filling with water
sprung seat
product No. 4396



NEW
2012



**ASR-1000 dozer blade +
adjustable holder and
lifting lever**
working width: 100 cm
spring suspension, rubber edge
product No. 4328

GLOBAL ACCESSORIES



NEW
2012

PJGCV160 driving unit

product No. (HONDA GCV 160) 4369

PJGCV190 driving unit

product No. (HONDA GCV 190) 4370

PJGCV190 driving unit

product No. (HONDA GSV 190) 4371

NEW
2012



DSK-317.1/S gearbox

product No. 4224

NEW
2012



KUK-96 loosening device

working width: 83/96 cm
product No. 4375

for heavy soils

KUK-125 loosening device

125 cm
4376

NEW
2012



VK-GLOBAL front wheel

height adjustment
product No. 4381

NEW
2012



TN-GLOBAL drive axle

5.00-12" wheels
product No. 4367

NEW
2012



KUR-70 loosening device

working width: 60/70 cm
product No. 4377

for light soils

KUR-112 loosening device

112 cm
4378

NEW
2012



PK-GLOBAL ploughing wheels

product No. 4402

NEW
2012



OK-GLOBAL metal wheels

product No. 4368

TO OWNERS OF TERRA AND VARI



TO ATTENTION OF OWNERS OF TERRA-VARI MACHINES PRODUCED BEFORE 2012

We intend to keep producing the accessories for original minitractors TERRA and VARI (gearboxes T-20 and DSK-317) that use the axle pin in the drive axle or in the soil loosening device. Compatibility will remain.

We will continue to produce the original gearbox DSK-317 for two-stroke engines.

New components (e.g. forged lance blades, new wheels etc.) will be mounted from 2012 to the original series as well.

You can order new components separately, so we should be able to satisfy any individual demand for upgrade of older TERRA and VARI machines.



DSK-316 MINITRACTORS



The minitractor with DSK-316 gearbox is small, but very efficient machine, which is suitable to use during all seasons. The gearbox has active implement drive which allows you to connect many different tools for cutting high grass, mulching, hay tedding and raking, cleaning the leaves or snow from the sidewalk or throwing the snow away.


HONDA driving units PJGCV160 and PJGCV190 are equipped with a security switch that can stop the whole machine when needed. The power is transmitted to the gearbox by a centrifugal clutch thus the drive-off is very smooth. The worm gears of DSK-316 work in the oil bath.

All accessories are just mounted to the active drive and secured by a retaining pin. Their swapping is very fast and easy. You don't have to set up belts in a complicated way. Do you need to change a drum mower for a brush? Just pull out the retaining pin, remove the drum mower from the shaft, plug the cylindrical brush in it, secure the pin and the machine is ready to work within a minute.



DSK-316 gearbox has gone through a long process of development and technical changes into today's version. It has air filled arrow shaped tyres with the possibility to put on the snow chains for better adhesion, wide wheel gauge, active drive with power-off lever allowing a secure transport of the machine and hypoid gears, which eliminate the power loss from the engine to the active drive shaft. The gearbox is produced in two versions: with one gear forward or with one gear forward and reverse.

DETAILS OF DSK-316 MINITRACTORS



**QUICK FASTENING
OF ACCESSORIES**



DRIVE LEVER

The minitractor with DSK-316 is suitable not only for gardeners, but for companies and communal services, which need to maintain premises, sidewalks and roads as well. VARI is an affordable communal system.



DSK-316 MINITRACTORS

LIGHT SET
FOR GRASS MOWING
AND COMMUNAL SERVICES
DOESN'T DAMAGE
THE LAWN AND
FITS EVEN UNDER
THE TREES

I can connect the two-
wheel seat to the hitch and
sit while I work

I even cut a ski slope in
mountains
with these tractor-shaped
wheels

changing implements from the mower to snow
thrower or anything else takes just a minute and
above all is completely toolless!

DSK-316 ACCESSORIES

- independent levers of active drive and wheels
- quick and easy adapter changing
- hypoid gears
- snow chains possibility



DSK-316.1PSVN gearbox
one gear forward
product No. 4262



DSK-316.1PSZ gearbox
one gear forward
+ reverse
product No. 4275



Innovated brushes (since 2011) have bristles in spirals, bigger diameter of 370 mm, better dynamics of sweeping and full compatibility with the previous version.



KV-100/Z sweeping brush
working width: 100 cm
product No. 4031



KV-100 sweeping brush
sprinkling and collecting
working width: 100 cm
product No. 3600



DSK-316/AV-650 hitch
for all DSK-316 gearboxes
without own hitch
product No. 4335



AV-650 two-wheel seat
foot brake, sprung seat
product No. 4217



SAMSON-56D brush cutter
working width: 56 cm
product No. 4144



LSE-120 bar mower
working width: 117 cm
product No. 4309



ASR-850 dozer blade
working width: 85 cm
product No. 3808



MULA-150 trailer
consists of frame
(product No. 3653)
and loading area
(product No. 3654)




TAJFUN-52 mulcher
working width: 52 cm
product No. 4150




OP-1.1/1.2 hay tedder
working width: 100 cm/120 cm
product No. 3620A/3621A

serrated auger



SF-55 snow thrower
working width: 55 cm
product No. 3677



Snow chains
for DSK-316.1PSVN a DSK-316.1PSZ (only for models from 2009 further) with wide gauge and tyres 13x5.00-6
product No. 4330

SAMPLES OF SETS OF DSK-316

**SPECIAL
OFFER
2013**

The purchase of the set
is always more favourable!

THERE IS A WIDE RANGE
OF VARI PRODUCTS,
EVERYBODY CAN
CHOOSE

**Gearbox DSK-316.1PSVN
+ TAJFUN-52**
special price

product No.

4288



**Sweeping brush
HONDA GCV 160
+ DSK-316.1PSVN
+ KV-100/Z**
special price

product No.

4281



**Brush cutter
HONDA GCV 160 +
DSK-316.1PSVN +
SAMSON-56D**
special price

product No.

4304



**Mulcher
HONDA GCV 160
+ DSK-316.1PSVN
+ TAJFUN-52**
special price

product No.

4280



**Snow thrower
HONDA GCV 160
+ DSK-316.1PSVN
+ SF-55**
special price

product No.

4285



www.vari.cz/en

Section PRODUCTS/VARI MINITRACTORS/DSK-316 MINITRACTORS

DIRECTLY CONNECTED ACCESSORIES



EQUIPMENT CONNECTED DIRECTLY
TO THE TERRA-VARI DRIVING UNITS

ROTARY HOE RPT-2/S

DETAILS OF ROTARY HOE RP-T2/S





NEW TILLING BLADES



WORKSPACE



- fine surface tilling and weeds elimination between the rows of grown plants
- 2 adjustable covers give 2x2 working widths of 16, 22, 32 and 38 cm
- for two-stroke and four-stroke driving units TERRA-VARI
- possibility of rebuilding to aerator/scarifier PP-60 with conversion set (product No. 4394)



product No.

4347

*more details on www.vari.cz/en

SET FOR CONVERSION
from rotary hoe RP-T2 to aerator PP-60

product No. **4394**



DIRECTLY CONNECTED ACCESSORIES



EQUIPMENT CONNECTED DIRECTLY
TO THE TERRA-VARI DRIVING UNITS

AERATOR PP-60



2 in 1 AERATOR AND SCARIFIER

- you can easily comb out moss and old grass
- your lawn is quickly cut through
- scarifier helps the grass to create stronger roots
- aerator allows water and nutrients to permeate into the lawn
- for owners of both Terra and VARI driving units
- easy change from aerator to scarifier
- simple control and manipulation





DETAILS OF AERATOR PP-60



SCARIFIER



BRAKING PAD



product No.

4379

*more details on www.vari.cz/en



www.vari.cz/en
Section PRODUCTS/NEW PRODUCTS

DIRECTLY CONNECTED ACCESSORIES




EQUIPMENT CONNECTED DIRECTLY
TO THE TERRA-VARI DRIVING UNITS



BDR-650V DRUM MOWER



DETAILS OF BDR-650V DRUM MOWER



POSITIONS FOR TWO-STROKE AND FOUR-STROKE ENGINES



product No.

4399

*more details on www.vari.cz/en

- drum mower for hillsides and large meadows
- thanks to the solid, sturdy wheel axle, it perfectly keeps the direction when mowing the hillside
- 6" arrow shaped wheels go well through the terrain
- possibility of unlocking the wheel arrestment for easy manipulation
- speeds for two-stroke and four-stroke engine – changing by switching the belt without any tools
- sturdy blades cut even the high-density grass
- impact absorbing reinforced disc edge
- side screen for laying the grass into the rows included



DIRECTLY CONNECTED ACCESSORIES

DZP-005/S IRRIGATION PUMP



- vertical, centrifugal, single-stage
- water quantity is 100 l/min and suction head is 5 m
- transport wheel for easy handling with the product
- for owners of both Terra and VARI driving units

DETAILS OF DZP-005/S IRRIGATION PUMP



PUMP



HOSES FOR THE DZP-005/S PUMP

80 mm

CLUTCH

kg

37 kg



100 l/min

product No.

3919

*more details on www.vari.cz/en

Standard accessories: suction hose and exit hose with a length of 5 m

CORN CRUSHER



- the corn crusher easily crushes corn and maize into fine cornflour suitable for feeding farm animals or fish
- transport wheels for easy handling with the product
- for owners of both Terra and VARI driving units

DETAILS OF CORN CRUSHER



TWO SIFTERS WITH DIFFERENT COARSENESS



TRANSPORT WHEELS

80 mm

CLUTCH

kg

20 kg



MAIZE CORN

product No.

4202

*more details on www.vari.cz/en

Standard accessories: two sifters with different coarseness



www.vari.cz/en

Section PRODUCTS/VARI MINITRACTORS/EQUIPMENT CONNECTED DIRECTLY TO THE ENGINE UNITS

VARI 2300 W



DETAILS OF VARI 2300 W



STEEL GEARS



SAFETY BRAKE



230 V
2300 W



40 cm



13,5 m/s



0,2 l



4,7 kg

product No.

4329

*more details on www.vari.cz/en

- electric chain saw
- strong engine with power of 2300 W
- rundown clutch lets the engine run off
- safety brake
- automatic chain lubrication
- manual chain tension Quick Tension
- tension or change of the chain is simple and toolless
- quality bar and chain made by OREGON
- very good ergonomics
- robust construction



VARI 5 TON SUPER FORCE

SPECIAL
OFFER
2012

VARI 5 TON
+ stand
product No. 4355



DETAILS OF VARI 5 TON SUPER FORCE




TRANSPORT WHEELS



HANDLE FOR EASY
MANIPULATION

- horizontal hydraulic splitter
- splitting force of 5 tons
- suitable for logs up to 52 cm long and 25 cm diameter
- 1500 W single-phase electric engine
- solid stable metal body
- both-handed control eliminates possibility of injury
- two transport wheels and handle for easy manipulation
- optional stand




230 V
1500 W

5-25 cm



up to
52 cm



5 t
20 MPa



50 kg

product No.

4348

*more details on www.vari.cz/en

Optional accessories: bolted stand – product No. 4349



www.vari.cz/en
Section PRODUCTS/LOG SPLITTERS

VARI 7 TON SUPER FORCE



SPLITTING
WEDGE & CROSS
FOR FREE




DETAILS OF VARI 7 TON SUPER FORCE



SPLITTING CROSS



TRANSPORT WHEELS



product No.

4274

*more details on www.vari.cz/en



- vertical hydraulic splitter
- splitting force of 7 tons
- suitable for logs up to 1 m long and 32 cm diameter
- adjustable working table for different lengths of log
- 3000 W single-phase electric engine
- solid stable metal body
- splitting cross cleaves the logs instantly in quarters
- wide wedge can cleave even very hard wood
- clamps on the handlebars prevent pieces of the logs from flying off
- both-handed control eliminates possibility of injury
- two transport wheels and handle for easy manipulation

Standard accessories: splitting cross
wide wedge



VARI 10 TON SUPER FORCE

**SPLITTING
WEDGE&CROSS
FOR FREE**



DETAILS OF VARI 10 TON SUPER FORCE







WORK TABLE PUSHED ASIDE



HANDLEBAR CONTROL

- vertical hydraulic splitter for heavy duty
- splitting force of 10 tons
- suitable for logs up to 135 cm long and 40 cm diameter
- adjustable working table for different lengths of logs
- you don't have to lift up the logs, just push the work table aside
- splitter is powered by 3800 W three-phase electric engine
- solid stable metal body - weight 200 kg
- splitting cross cleaves the logs instantly in quarters
- wide wedge can cleave even very hard wood
- clamps on the handlebars prevent pieces of the logs from flying off
- both-handed control eliminates possibility of injury
- two transport wheels and handle for easy manipulation



product No.

4350

*more details on www.vari.cz/en

Standard accessories: splitting cross
wide wedge



www.vari.cz/en
Section PRODUCTS/LOG SPLITTERS