

VARI®

TRADITIONAL MANUFACTURER AND SUPPLIER
OF GARDEN MACHINERY



DRUM MOWERS

MULCHERS

MULTIFUNCTIONAL CARRIERS

OTHERS

SINCE
1969
VARI

www.vari.cz/en

DRUM MOWERS



DS-521 AGATHA DRUM MOWERS

- tough, resistant and innovative cover made of painted zinc coated metal sheet
- strap holders for better fixation during the transport
- double cutting disc with 4 blades (T- Bar bracing)
- independent switching of wheel and cutting drives
- precise guiding thanks to the fixed wheel drive
- 6" arrow-shaped wheels
- safety brake of the cutting disc
- hardened VARI blades
- the engine with the InStart technology exclusively for VARI
- up to 75 starts after battery charging
- 30 minutes for a full charge
- effortless starting with a push button

instart^{IS}
INSTANT STARTING TECHNOLOGY



CHARGE IT!



CLIP IT!



START!



MOW!



BDR-620 DOROTHA BRUSH CUTTERS

- tough, resistant and innovative cover made of painted zinc coated metal sheet
- strap holders for better fixation during the transport
- double cutting disc with 4 blades (T- Bar bracing)
- independent switching of wheel and cutting drives
- precise guiding thanks to the fixed wheel drive
- big 8" arrow-shaped wheels
- safety brake of the cutting disc
- hardened VARI blades
- the engine with the InStart technology exclusive for VARI
- up to 75 starts after battery charging
- 30 minutes for a full charge
- effortless starting with a push button

instart^{IS}
INSTANT STARTING TECHNOLOGY

instart^{IS}
INSTANT STARTING TECHNOLOGY

TYPE	DS-521Z	DS-521B	DS-521	DS-521BiS	BDR-620DH	BDR-620DBiS
Engine	VARI XP-200	B&S 675 EXI	HONDA GCV 160	B&S 675 IS	HONDA GCV 190	B&S 675 IS
Working width	58,5 cm	58,5 cm	58,5 cm	58,5 cm	62,2 cm	62,2 cm
Area performance	1 300 m ² /h	1 300 m ² /h	1 300 m ² /h	1 300 m ² /h	1 900 m ² /h	1 900 m ² /h
Number of speeds	1 (2,0 kph)	1 (2,0 kph)	1 (2,0 kph)	1 (2,0 kph)	2 (2,0 – 2,8 kph)	2 (2,0 – 2,8 kph)
Weight	61 kg	59 kg	58 kg	61 kg	67 kg	66 kg
Article no.	4425	4400	4426	4466	4500	4501

DOUBLE-DRUM MOWER



BDR-1200 DOUBLE-DRUM MOWER

- cutting of large areas and mountain meadows
- directional brakes provide easy manoeuvrability
- 10° side swinging of the double-drum
- big 10" wheels with tractor pattern
- side and height handlebar adjustment of the machine
- cardan shaft connection of the cutting discs
- 5+1R PEERLESS gearbox with differential
- professional HONDA engine, laser cut frame



AV-650 SEAT

Article no.: 4217



TRANSPORT WHEELS

Article no.: 4241



TYPE	BDR-1200
Engine	HONDA GXV 390
Working width	120,2 cm
Area performance	2 160 - 6 000 m ² /h
Number of speeds	5 + 1R (1,8 - 2,7 - 3,5 - 4,8 - 8,0 - R3,5 kph)
Weight	200 kg
Article no.	4242

SINGLE-PURPOSE MULCHERS



F-550 BRUSH CUTTERS

- long grass mulching
- independent switching of wheel and cutting drives
- height adjustment of the handlebars in 6 positions
- safety brake of the blade
- patented front spur
- strap holders for better fixation during the transport
- low centre of gravity, perfectly balanced
- INOX stainless steel cover
- copes with self-seeded shrubbery up to 1 cm in diameter
- adjustment of the cutting height from 4 to 9 cm



AV-650 SEAT
FOR F-700 HYDRO

Article no.: 4217



MULCHER FRONT COVER
FOR F-550


Article no.: 4447

INNOVATION 2018



F-700 HYDRO MULCHER

- **new system of operation** – enables to change gears with no need to stop the blade drive, new lever for cutting height adjustment
- **new gearbox cooling system** and new front wheels resistant to puncture
- TUFF TORQ K-46ED hydrostatic gearbox
- replaceable shaft support of the blade and bearings
- automatic differential lock
- service and safety brake
- guaranteed slope accessibility 30°
- side opening for easier cleaning
- accessory: sprung seat



TYPE	F-550B	F-550	F-700 HYDRO
Engine	B&S 875 EXI	HONDA GCV 190	HONDA GXV 390
Working width	58 cm	58 cm	70 cm
Area performance	950 - 1 300 m ² /h	950 - 1 300 m ² /h	up to 5 440 m ² /h
Number of speeds	2 (1,8 - 2,4 kph)	2 (1,8 - 2,4 kph)	continuous gear change (0-8,0 kph, R 0-1,5 kph)
Weight	55 kg	56 kg	135 kg
Article no.	4408	4380	4448

SWEEPING BRUSH AND WOOD CHIPPER



CB-80 SWEEPING BRUSHES

- high-quality components – worm gearbox of the brush and drive as well, bearings
- starting and control of all functions from the operator's place
- height adjustment of the handlebars in 6 positions
- strap holders for better fixation during the transport
- brush diameter of 34 cm, spiral arrangement of the brush
- adjustment of the hair pressure using the washers
- snow design of tyres
- it is possible to buy a set for converting the CB-80Z brush to a double speed machine, article no. 4454

TYPE	CB-80Z	CB-80
Engine	VARI XP-200	HONDA GCV 160
Working width	80 cm	80 cm
Area performance	2 300 m ² /h	1 985 - 2 730 m ² /h
Number of speed	1 (2,9 km/h)	2 (2,5 - 3,4 km/h)
Weight	68 kg	67 kg
Article no.	4442	4440



BS-80 COLLECTOR

Article no.: 4445



OR-80 DOZER BLADE

Article no.: 4451



AP-80 DUST COVER

Article no.: 4443



NEW 2018

RAPIDO POWER PLUS WOOD CHIPPER

- worm slow-running shredder with a double-threaded spiral
- self-feeding of the crushed material into the crushing head
- high effectivity and low noise level
- steel flywheel under the engine for the energy accumulation
- maximum operating speed 540 revs/min
- powerful B&S 950E engine

TYPE	RAPIDO POWER PLUS
Engine	B&S 950 E
Maximal diameter of crushed material	up to 60 mm (depends on the type, age and humidity of the crushed material)
Approximate size of wood chips	20 mm
Weight	61 kg
Article no.	4502

MAX MULTIFUNCTIONAL CARRIERS

NEW 2018



HURRICANE MAX F-580, F-580BiS BRUSH CUTTER

- set of a MaX multifunctional carrier and a VM-580 mulching adapter
- possible to change the mulcher for cutting drum, snow blade or passive brush
- patented connection with adapters
- two travel speeds
- wheels with GRASS TRACK pattern
- height adjustment of the handlebars in 6 positions
- the first VARI multifunctional carrier with electric start
- engine with the InStart technology exclusively for VARI
- up to 75 starts after battery charging
- 30 minutes for a full charge
- effortless starting with a push button

instart^{IS}
INSTANT STARTING TECHNOLOGY



CHARGE IT!



CLIP IT!



START!



MOW!

INNOVATION 2018



LUCINA MAX DRUM MOWER / LUCINA MAX BRUSH CUTTER

- multifunctional carrier with a cutting drum
- possible to change the cutting drum for mulching adapter, snow blade or passive brush
- patented connection with adapters
- strap holders for better fixation during the transport
- two travel speeds
- wheels with GRASS TRACK pattern
- height adjustment of the handlebars in 6 positions
- BDR-620D Lucina MaX is equipped with an additional safety cover

instart^{IS}
INSTANT STARTING TECHNOLOGY

TYPE	BDR-620B	BDR-620	BDR-620D	F-580	F-580BiS
Engine	B&S 850 E	HONDA GCV 190	HONDA GCV 190	HONDA GSV 190	B&S 875 IS
Working width	62,2 cm	62,2 cm	62,2 cm	58 cm	58 cm
Area performance	up to 1 680 kph	up to 1 680 kph	up to 1 680 kph	up to 1 500 kph	up to 1 500 kph
Number of speeds	2 (2,0 - 2,8 km/h)	2 (2,0 - 2,8 km/h)	2 (2,0 - 2,8 km/h)	2 (2,0 - 2,8 km/h)	2 (2,0 - 2,8 km/h)
Weight	62 kg	63 kg	68 kg	59 kg	58 kg
Article no.	4430	4428	4499	4504	4505

MAX ACCESSORIES

NEW 2018



BSX-620 DRUM MOWER

- intended for cutting long grass for drying
- new design of a HDG cover – tough and innovative
- disc with four blades (T-Bar bracing)
- original hardened VARI blades
- working width of 62,2 cm

Artikel-Nr.: 4506



VM-580 MULCHER

- intended for long grass cutting and mulching, copes with older grass and thin self-seeding plants
- patented design of the cutting space and the guiding spur
- hot-dip galvanised cover, solid GATOR mulching blade
- working width of 58 cm, cutting height adjustment
- possibility to add the mulcher front cover, Article no.: 4447

Artikel-Nr.: 4429



SP-800 SNOW BLADE

- suitable for new-fallen snow, working width 79 cm
- polypropylene sliding plates, easy connection to the machine

Artikel-Nr.: 4450



PK-950 PASSIVE BRUSH

- ideal for pavements, especially interlocking pavements and access roads, working width of 95 cm
- continuous side adjustment
- very low dustiness while working with the brush
- long lifetime of the hairs – low abrasion

Artikel-Nr.: 4459



RAPTOR HYDRO MULTIFUNCTIONAL CARRIER

INNOVATION 2018



RAPTOR HYDRO MULTIFUNCTIONAL CARRIER

- **new system of operation** – enables to change gears with no need to stop the blade drive
- tough pressed chassis parts
- TUFF TORQ K-46ED hydrostatic gearbox
- automatic differential lock
- antivibration placing of handlebars
- integrated clutch with adapter brake
- integrated additional fuel tank with the volume of 4,5 l
- comfortable and fast connection of the adapters
- accessory: additional air suction to prevent the air filter from impurities, Article no.: 4510

TYPE	RAPTOR HYDRO
Engine	B&S 950 E
Number of speeds	continuous gear change (0-8,0 kph, R 0-1,5 kph)
Weight	71 kg
Article no.	4470



**NORAM - VARI
CLUTCH/BRAKE**



For 4.00-8.00 wheels

SNOW CHAINS

Article no.: 4476



2x 11,5 kg

WHEEL WEIGHT

Article no.: 4473



AV-650 SEAT

- for comfortable cutting and cleaning of large areas
- sprung sheet-metal seat, innovated wheels and brakes
- footrests and telescopic bar
- loading capacity of 120 kg

Article no.: 4217



ANV-200 TRAILER

- sprung sheet-metal seat, reflecting glasses, comfortable footrests
- removable sidewalls and rear side, tilting body
- service and parking brakes
- loading capacity of 200 kg

Article no.: 4475

RAPTOR HYDRO ACCESSORIES



RBS-700 DRUM MOWER / **RBS-700D** BRUSH CUTTER

- intended for cutting long grass for drying, working width of 70 cm
- pressed double cutting disc VARI with 5 blades (T-Bar bracing)
- tough pressed chassis and robust shaft support
- RBS-700D brush cutter is equipped with an additional safety cover

Article no.: 4472, 4479



RMS-600 MULCHER

- mulches long grass using the GATOR mulching blade
- tough pressed chassis, patented placing of the blade
- height adjustable front spur, working width of 60 cm

Article no.: 4471



RSR-1000 DOZER BLADE

- intended for removing snow and bulk material from solid surfaces
- continuous side adjustment, spring suspension, with rubber edge
- zinc coated skid plate, working width of 100 cm

Article no.: 4478



ROP-115 HAY TEDDER

- for hay tedding and raking, grass aeration
- raking the fallen leaves
- new-fallen snow removing (using the snow blades)
- working width of 90 cm
- total width of 115 cm


Article no.: 4477



DRIVING UNITS

VARI DRIVING UNITS

- ecological four-stroke engines
- low fuel consumption c. 0,8 l/h
- optimised flange and handlebars with the diameter of 25 mm
- height and side adjustment of the handlebars from the operator's place
- 80 mm automatic centrifugal clutch
- integrated antivibration system
- easy starting, weight of 23 kg




80 MM AUTOMATIC CENTRIFUGAL CLUTCH

TYPE	PJXP200	PJGCV160	PJGCV190 (HONDA GSV 190)
Engine	VARI XP-200	HONDA GCV 160	HONDA GSV 190
Engine displacement	196 cm ³	160 cm ³	187 cm ³
Technologie	OHV	OHC	OHC
Torque	10 Nm	9,4 Nm	11,3 Nm
Cylinder sleeve	yes	no	yes
Article no.	4427	4369	4371

EQUIPMENT CONNECTED DIRECTLY TO DRIVING UNITS

DRUM MOWER

BDR-650V



Working width: 62 cm

Article no.: 4399

WOOD CHIPPER

RAPIDO

- worm slow-running shredder with a double-threaded spiral
- self-feeding of the crushed material into the crushing head



Max. diameter of crushed material: up to 50 mm
Approx. size of wood chips: 20 mm

Article no.: 4449

ROTARY HOE

RP-T2/S



Working width: 16, 22, 32, 38 cm
Working depth: 2-8 cm

Article no.: 4347

AERATOR/SCARIFIER

PP-60



Working width: 55 cm
Working depth: 5 mm

Article no.: 4379

PRESSURE WASHER

W3000V

- three different nozzles
- high-quality duralumin pump
- intended for four-stroke VARI driving units



Max. pressure: 2 900 PSI / 200 bar
Working pressure: 2 300 PSI / 159 bar
Flow rate: 8,5 l/min

Article no.: 3688

DSK-317.1/S GEARBOX + ACCESSORIES

**GEARBOX
DSK-317.1/S**



Article no.: 4224

**DRIVE AXLE
TN-GLOBAL**



Wheel size: 5.00-12"

Article no.: 4367

**INNER WEIGHT
FOR THE TN-GLOBAL
DRIVE AXLE**



4 pcs, total weight 24,4 kg

Article no.: 4405

**COMPLETE HITCH
BZN-002**



carrier, 33 kg weight,
NZ-5/317 carrier, 2x 5 kg
weight

Article no.: 3710

**ADJUSTING ELEMENT
NT-3**



for connection and adjustment
of VARI passive implements

Article no.: 3711

**LOOSENING DEVICE
KUK-96, KUK-125**



Working width: 83 / 96 cm,
up to 125 cm

Article no.: 4375, 4376

**LOOSENING DEVICE
KUR-70, KUR-112**



Working width: 60 / 70 cm,
up to 112 cm

Article no.: 4377, 4378

**FRONT WHEEL
VK-GLOBAL**



Adjustable height

Article no.: 4381

**SHARE HOLDER
WITH SHARE
N-3**



To the Z-01 hitch;
Brakes the rotary tiller

Article no.: 3716

PASSIVE HOE



to the NM1-001 potato hiller
carrier (two hoes side by side)
or to the N-3 share holder

Article no.: 3769

**DIGGING SHARE
AVR-453**



For lighter soils
Working depth: 12 cm

Article no.: 3618

**DIGGING SHARE
AVB-400**



For heavy soils
Working depth: 12 cm

Article no.: 3664

**PLOUGHING WHEELS
PK-GLOBAL**



Article no.: 4402

**POTATO HILLER
SV-1**



Arbeitstiefe 43 cm

Article no.: 3609

**2 SV-1 POTATO HILLERS
+ NM1-001 CARRIER**



Article no.: 4511

**MINITRACTOR VARI GLOBAL
WITH SWING PLOUGH APH-352**

- DSK-317.1/S gearbox (speeds: 3+R)
- TN-GLOBAL drive axle
- height and side adjustment of the handlebars
- APH-352 swing plough
- BNZ-002 complete hitch
- NT-3 adjusting element

Article no.: 4432 + 3611 + 3710 + 3711



**ROTARY TILLER VARI GLOBAL
WITH LOOSENING DEVICE KUK-96**

- DSK-317.1/S gearbox (speeds: 3+R)
- KUK-96 loosening device with lanced blades
- height and side adjustment of the handlebars
- Z-01 hitch for connection of N-3
- N-3 share holder with share
- complete cover VK-GLOBAL front wheel

Article no.: 4422



DSK-317.1/S ACCESSORIES

PLOUGHING GIRDLES ON TN-GLOBAL



for wheels 5.00-12"

Article no.: 4406

ONE-WAY PLOUGH APJ-018 R/L RIGHT, LEFT



Working width / Ploughing depth: 18 cm

Article no.: 3612 (R), 3635 (L)

SWING PLOUGH APH-352



Working width / Ploughing depth: 18 cm

Article no.: 3611

PULLED AERATOR PT-1000



Working width: 90 cm

Article no.: 4398

PULLED ROLLER VT-1000



Working width: 100 cm

Article no.: 4396

CULTIVATOR AKY-356



Working width: 70 cm

Article no.: 3616

SMOOTHING HARROW S-1000



Working width: 100 cm

Article no.: 3671

CULTIVATOR WITH ROLLER K-720



Working width: 72 cm

Article no.: 3770

SPIKE-TOOTH HARROW BH-138



three-row
Working width: 90 - 138 cm

Article no.: 3614

SPIKE-TOOTH HARROW ABR-354



double-row
Working width: 90 cm

Article no.: 3613

POTATO PLANTER SB-40



For up to 20 kg potatoes
Wheel gauge: 61 cm

Article no.: 4363



DOZER BLADE ASR-1000



Working width: 100 cm
lifting rod, spring suspension

Article no.: 4328

IMPLEMENT CARRIER AV-3



loading capacity 250 kg, sprung seat, service brake with lock, adjustable height of the hitch

Article no.: 3791

MINITRACTOR VARI GLOBAL WITH TRAILER ANV-400

- DSK-317.1/S gearbox (speeds: 3+R)
- TN-GLOBAL drive axle
- height and side adjustment of the handlebars
- Z-01 hitch

TRAILER ANV-400

- loading capacity of 400 kg
- reflecting glasses
- sprung ergonomic seat
- 12" wheels, car tyres
- strap holders
- service and parking brakes

Article no.: 4419

Article no.: 4410



TRAILER ANV-380

- loading capacity of 380 kg
- reflecting glasses
- sprung ergonomic seat
- tilting body
- service and parking brakes
- comfortable footrests



Article no.: 4460

DSK-316 GEARBOX + ACCESSORIES

**GEARBOX
DSK-316.1PSVN**



Number of speeds: 1

Article no.: 4262


**GEARBOX
DSK-316.1PSZ**



Number of speeds: 1+R

Article no.: 4275

SNOW CHAINS



For 13x5.00-6 tyres

Article no.: 4330

**GARDEN
SHREDDER
KAJMAN-55**



Branch diameter: up to 55 mm

Article no.: 4431

**DRUM MOWER
SAMSON-56 / 56D**



Working width: 56 cm

Article no.: 3648, 4144

**MULCHER
TAJFUN-52**



Working width: 52 cm

Article no.: 4150

**BAR MOWER
LSE-120**



Working width: 117 cm

Article no.: 4309

**SWEEPING BRUSH
KV-100/Z**



Working width: 100 cm

Article no.: 4031

**COLLECTOR
BS-100**



For KV-100/Z

Article no.: 4458

**DOZER BLADE
ASR-850**



Working width: 85 cm

Article no.: 3808

**SNOWTHROWER
SF-55**



Working width: 55 cm

Article no.: 3677

**HAY TEDDER
OP-115, OP-145**



Working width: 90, 120 cm

Article no.: 4493, 4494

SNOW BLADES



OP-115 – 8 snow blades
OP-145 – 10 snow blades

Article no.: 3758

**SEAT
AV-650**



comfortable sprung seat with
side support

Article no.: 4217

FOR USERS OF TERRA VARI

Accessories for older
T-20 and DSK-317
(till 2012) gearboxes
with the axle pin.

**GEARBOX
DSK-317/S**



For 4-stroke
VARI-HONDA engines
Number of speeds: 3+R

Article no.: 3421

**LOOSENING DEVICE -
LANCE BLADES
AKY-357**



Working width: 95, 52-110 cm

Article no.: 4366, 3718

**LOOSENING DEVICE -
LANCE BLADES
AKY-358**



Working width: 80, 25-115 cm

Article no.: 3746, 3717

**DRIVE AXLE
TN-01 (5x12")**



Article no.: 3706

LAWNMOWERS

NEW 2018



VARI FM 3310, VARI FM 3813 ELECTRIC LAWMOWERS

- electric lawnmower suitable for the area up to 500 m², 700 m²
- cutting width of 31 cm, 37 cm
- high-quality Direct Drive electric engine
- collecting to grass bag, rear discharge
- individual cutting height adjustment (3 positions)
- wheels on plain bearings
- collecting box and mower deck made of high-quality plastic
- rear wheel diameter 170 mm, front wheels 140 mm
- straight, tilting handlebars
- made in EU

NEW 2018

VARI CSL 464 G PETROL LAWMOWER

- pushed petrol VARI lawnmower
- GGP RS 100 / Loncin 99 cm³
- plastic grass bag
- individual cutting height adjustment (5 positions)
- steel deck, collecting to grass bag, rear discharge
- fuel primer

NEW 2018



VARI CSL 484 G PETROL LAWMOWER

- self-propelled petrol VARI lawnmower
- perfect price / power ratio
- GGP WB 45 / Loncin 140 cm³
- steel deck, collecting to grass bag, rear discharge
- central cutting height adjustment (5 positions)
- big wheels with ball bearings
- ergonomic handle, soft grip
- fuel primer

VARI CSL 484 H PETROL LAWMOWER

- 4 in 1 mower – mulching, collecting to grass bag, side and rear discharge
- HONDA GCV 160 engine, ACS auto choke
- central cutting height adjustment (5 positions)
- steel deck
- safety blade brake
- big wheels with ball bearings
- combined grass bag
- ergonomic handle, soft grip

TYPE	FM 3310	FM 3813	CSL 464 G	CSL 484 G	CSL 484 H
Engine	230 V / 50 Hz / 1000 W	230 V / 50 Hz / 1300 W	GGP LONCIN RS 100	GGP LONCIN WB 45	HONDA GCV 160
Working width	31 cm	37 cm	46 cm	48 cm	48 cm
Cutting height	30 - 60 mm	30 - 60 mm	30 - 70 mm	27 - 80 mm	27 - 80 mm
Bag volume	28 l	35 l	60 l	60 l	60 l
Weight	11,5 kg	14 kg	24 kg	30 kg	30 kg
Article no..	3550	3551	3552	3553	3691

LAWNMOWERS



VARI MP1 504 B, VARI MP1 554 B PETROL LAWNMOWER

- 4 in 1 mower – mulching, collecting to grass bag, side and rear discharge
- BRIGGS & STRATTON engine
- READY START automatic starter
- central cutting height adjustment (5 positions)
- steel deck, hose connector for deck washing
- EVO gearbox for smooth start
- safety blade brake
- big wheels with ball bearings
- combined grass bag, collector filling indicator
- De Luxe ergonomic handle
- easy access to the grass bag

NEW 2018



instant*is*
INSTANT STARTING TECHNOLOGY



VARI MP1 504 BiS PETROL LAWNMOWER

- 4 in 1 mower with InStart – mulching, collecting to grass bag, side and rear discharge
- BRIGGS & STRATTON engine, INSTANT – start at the touch of a button
- central cutting height adjustment (5 positions)
- steel deck, hose connector for deck washing
- EVO gearbox for smooth start
- safety blade brake
- big wheels with ball bearings
- combined grass bag, collector filling indicator
- De Luxe ergonomic handle
- easy access to the grass bag



VARI MP1 554 H PETROL LAWNMOWER

- 4 in 1 mower – mulching, collecting to grass bag, side and rear discharge
- HONDA GCV 190 engine, ACS auto choke
- VARIO gearbox – continuous speed regulation
- central cutting height adjustment with indicator (6 positions)
- steel deck, hose connector for deck washing
- safety blade brake
- big wheels with ball bearings
- big combined grass bag
- collector filling indicator
- De Luxe ergonomic handle
- easy access to the grass bag



instant*is*
INSTANT STARTING TECHNOLOGY

TYPE	MP1 504 B	MP1 554 B	MP1 504 BiS	MP1 554 H
Engine	B&S 625 E	B&S 675 EXI	B&S 575 iS	HONDA GCV 190
Working width	50 cm	55 cm	50 cm	55 cm
Cutting height	25 - 65 mm	25 - 80 mm	25 - 65 mm	25 - 80 mm
Bag volume	70 l	70 l	70 l	70 l
Weight	31 kg	35 kg	32 kg	40 kg
Article no.	3692	3693	3554	3694

LAWN TRACTORS AND BRUSHCUTTERS



VARI RL 84 H, VARI RL 98 H LAWN TRACTORS

- lawn tractors with electric start
- working width of 84cm, 98 cm, double blade cutting device
- powerful GGP engine, displacement of 432 cm³, 452 cm³
- hydrostatic gearbox, wide 15" and 18" wheels
- robust frame
- cutting height adjustment (7 positions)
- adjustable ergonomic comfortable seat
- perfect grass collection thanks to a short and direct discharge chute
- tone alerting of the grass bag filling
- electromagnetic cutting clutch
- anti-scalp wheels of the cutting device
- battery charger included

TYPE	RL 84 H	RL 98 H
Engine	GGP LONCIN 7500	GGP LONCIN 7750
Engine displacement	432 cm ³	452 cm ³
Working width	84 cm	98 cm
Cutting height	25 - 80 mm	25 - 80 mm
Bag volume	240 l	240 l
Fuel tank volume	6 l	6 l
Weight	182 kg	202 kg
Article no.	3555	3556



VARI 432HB, VARI 522HB BRUSHCUTTERS

- low weight and easy operation
- powerful two-stroke engine with the displacement of 43 cm³, 52 cm³
- string head as well as a three-tooth cutting blade, a back harnesses and a mixing canister as a basic equipment
- possible accessories steel brush for weed removal (MiniVedex)



ENGINE
TWO-STROKE,
POWERFUL



**STEEL CUTTING
BLADE**



**BRUSH
MINIVEDEX**

Art. no. 201888

TYPE	432HB	522HB
Engine	LH1E40F-5A (Two-stroke)	LH1E44F-5A (Two-stroke)
Engine power	1,7 HP	1,9 HP
Weight	7,1 kg	7,8 kg
Article no.	4243	4503

MACHINES FOR HOME AND GARDEN



2300W ELECTRIC CHAIN SAW

- strong electric engine
- steel gearing
- automatic chain lubrication
- manual chain tension system Quick Tension
- high-quality OREGON bar and chain
- safety chain brake

TYPE	2300W
Engine	230 V / 50 Hz / 2300 W
Bar length	40 cm (OREGON)
Chain speed	13,5 m/s
Oil tank volume	0,2 l
Weight	4,7 kg
Article no.	4329



VARI KP-500, KP-700 SWIVEL LOG SAWS

- heavy duty and compact construction
- direct drive from the engine
- hard metal saw blade
- cradle returning using the spring

TYPE	KP-500	KP-700
Engine	230 V / 50 Hz / 2800 W / IP 54	400 V / 50 Hz / 5000 W / IP 54
Saw blade	505 mm	700 mm
Weight	67 kg	88 kg
Article no.	3681	3682



KF-140 ROTARY TILLER

- for greenhouses and small gardens
- compact and powerful tiller
- lanced blades, conical clutch
- duralumin worm gearbox
- continuous height adjustment of the handlebars

VARI KF-200, KF-H160 ROTARY TILLER

- for greenhouses and middle-sized gardens
- lanced blades, conical clutch
- duralumin worm gearbox
- height and side adjustment of the handlebars
- accessories: one-way plough, reduction gearbox, drive axle, ploughing girdles

TYPE	KF-140	KF-200	KF-H160
Enginr	VARI XP-140	VARI XP-200	HONDA GCV 160
Working width	60 cm	60 cm	60 cm
Weight	30 kg	49 kg	48 kg
Article no.	4467	4468	4469



VARI W3000Z PRESSURE WASHER

- high-quality pump: duralumin, steel, brass
- three nozzles: 15°, 40°, soap nozzle
- possible to suck in the detergent
- big transport wheels and handle


TYPE	W3000Z
Engine	VARI XP-200
Max. pressure	2 900 PSI / 200 bar
Working pressure	2 300 PSI / 159 bar
Flow rate	8,5 l/min
Weight	26 kg
Article no.	3687

LOG SPLITTERS

VARI 5 TON

HORIZONTAL LOG SPLITTER

- horizontal hydraulic log splitter
- suitable for preparing wood for fireplaces
- handle and two transport wheels
- option: stand



STAND

Article no.: 4349



VARI 7 TON, 9 TON

VERTICAL LOG SPLITTERS

- robust design
- adjustable work table
- splitting cross and wide wedge included
- option: extended wedge (9 TON, article No. 3685)



VARI 10 TON, 10 TON GAS

VERTICAL LOG SPLITTERS

- robust design
- swivel table
- splitting cross and wide wedge included
- option: extended wedge (article No. 3684)

VARI 16 TON, 20 TON

VERTICAL LOG SPLITTERS

- professional log splitters,
- robust design
- log lift, safety frame
- attachable to the tractor power take-off (20 TON)



TYPE	5 TON SUPER FORCE	7 TON SUPER FORCE	9 TON SUPER FORCE	10 TON SUPER FORCE	10 TON GAS FORCE	16 TON SUPER FORCE	20 TON SUPER FORCE
Engine	230 V / 50 Hz / 1500 W / IP 54	230 V / 50 Hz / 3000 W / IP 54	230 V / 50 Hz / 3150 W / IP 54	400 V / 50 Hz / 3800 W / IP 54	Zongshen 270 cm³	400 V / 50 Hz / 5100 W / IP 54	400 V / 50 Hz / 5400 W / IP 54
Splitting force	5 t	7 t	9 t	10 t	10 t	16 t	20 t
Hydraulic pressure	20,0 MPa	15,3 MPa	25,0 MPa	19,5 MPa	19,5 MPa	27,7 MPa	22,7 MPa
Log size	5-25 / 52 cm	12-32 / 52-104 cm	12-40 / 61-137 cm	12-40 / 59-135 cm	12-40 / 59-135 cm	max. 32 / 110 cm	max. 38 / 110 cm
Weigh	50 kg	115 kg	144 kg	200 kg	195 kg	264 kg	360 kg
Article No.	4348	4274	3680	4350	3683	4423	4424

VARI, a.s. on the basis of its inner provisions and continuous product innovations reserves the right to make changes in design and colours of the products listed in this catalogue, anytime and without prior notice, without extending the scope of its duties. It is forbidden to copy the documents and pictures in any form without consent of the publisher. Technical changes and printing errors reserved. Published by VARI, a.s.

Your seller / Distributor:



EUROPEAN UNION
European Regional Development Fund
Operational Programme Enterprise
and Innovations for Competitiveness