

VARI®

TRADITIONAL MANUFACTURER
AND SUPPLIER OF
GARDEN MACHINERY



VARI
5
1969
2019

DRUM MOWERS



DS-521 AGATHA DRUM MOWERS

- tough, resistant and innovative cover made of painted zinc coated metal sheet
- strap holders for better fixation during the transport
- double cutting disc with 4 blades (T-Bar bracing)
- independent switching of wheel and cutting drives
- precise guiding thanks to the fixed wheel drive
- 6" arrow-shaped wheels
- safety brake of the cutting disc
- hardened VARI blades
- the engine with the InStart technology exclusively for VARI
- up to 75 starts after battery charging
- 30 minutes for a full charge
- effortless starting with a push button

instart^{IS}
INSTANT STARTING TECHNOLOGY



CHARGE IT!



CLIP IT!



START!



MOW!



BDR-620 DOROTHA BRUSH CUTTERS

- tough, resistant and innovative cover made of painted zinc coated metal sheet
- strap holders for better fixation during the transport
- double cutting disc with 4 blades (T-Bar bracing)
- independent switching of wheel and cutting drives
- precise guiding thanks to the fixed wheel drive
- big 8" arrow-shaped wheels
- safety brake of the cutting disc
- hardened VARI blades
- the engine with the InStart technology exclusively for VARI
- up to 75 starts after battery charging
- 30 minutes for a full charge
- effortless starting with a push button

instart^{IS}
INSTANT STARTING TECHNOLOGY

instart^{IS}
INSTANT STARTING TECHNOLOGY

TYPE	DS-521Z	DS-521B	DS-521	DS-521BiS	BDR-620DH	BDR-620DBiS
Engine	VARI XP-200	B&S 675 EXI	HONDA GCV 160	B&S 675 IS	HONDA GCV 190	B&S 875 IS
Working width	58,5 cm	58,5 cm	58,5 cm	58,5 cm	62,2 cm	62,2 cm
Area performance	1 300 m ² /h	1 300 m ² /h	1 300 m ² /h	1 300 m ² /h	1 900 m ² /h	1 900 m ² /h
Number of speeds	1 (2,0 kph)	1 (2,0 kph)	1 (2,0 kph)	1 (2,0 kph)	2 (2,0 – 2,8 kph)	2 (2,0 – 2,8 kph)
Weight	61 kg	59 kg	58 kg	61 kg	67 kg	66 kg
Article no.	4425	4400	4426	4466	4500	4501

DOUBLE-DRUM MOWER



BDR-1200 DOUBLE-DRUM MOWER

- cutting of large areas and mountain meadows
- directional brakes provide easy manoeuvrability
- 10° side swinging of the double-drum unit
- big 10" wheels with tractor pattern
- side and height handlebar adjustment
- cardan shaft connection of the cutting discs
- 5+1R PEERLESS gearbox with differential
- professional HONDA engine

TYPE	BDR-1200
Engine	HONDA GXV 390
Working width	120,2 cm
Area performance	2 160 - 6 000 m ² /h
Number of speeds	5 + 1R (1,8-2,7-3,5-4,8-8,0-R3,5 kph)
Weight	200 kg
Article no.	4242



AV-650 SEAT

Article no.: 4217



TRANSPORT WHEELS

Article no.: 4241



MINIVEDEX BRUSH

Article no.: 201888

VARI 432HB, VARI 522HB BRUSHCUTTERS

- low weight and easy operation
- powerful two-stroke engine with the displacement of 43 cm³, 52 cm³
- string head, three-tooth cutting blade, back harnesses and mixing canister as basic equipment
- possible accessories: steel brush for weed removal (MiniVedex)

VARI 150 ELECTRIC HEDGE TRIMMER

- copes with branches up to 20 mm in diameter
- cutter bar with a double-sided hardened blades
- working width of 61 cm
- ergonomic front handle adjustable in 3 positions
- 180° revolving handle in 5 positions, electric brake

TYPE	432HB	522HB	150
Engine	LH 43 cm ³ (two-stroke)	LH 52 cm ³ (two-stroke)	230 V - 50 Hz
Engine power	1,7 HP	1,9 HP	550 W
Weight	7,1 kg	7,8 kg	3,2 kg
Article no.	4243	4503	4518



NEW 2019

SINGLE-PURPOSE MULCHERS



F-550 BRUSH CUTTERS WITH MULCHING BLADE

- long grass mulching
- independent switching of wheel and cutting drives
- height adjustment of the handlebars in 6 positions
- safety brake of the blade
- patented front spur
- strap holders for better fixation during the transport
- low centre of gravity, perfectly balanced
- INOX stainless steel cover
- copes with self-seeded shrubbery up to 1 cm in diameter
- adjustment of the cutting height from 4 to 9 cm



AV-650 SEAT
FOR F-700 HYDRO

Article no.: 4217




MULCHER FRONT COVER
FOR F-550

Article no.: 4447



F-700 HYDRO MULCHER

- **new system of operation** – enables to change gears with no need to stop the blade drive, new lever for cutting height adjustment
- **new gearbox cooling system** and new front wheels resistant to punctures
- TUFF TORQ K-46ED hydrostatic gearbox
- replaceable shaft support of the blade and bearings
- automatic differential lock
- service and safety brakes
- guaranteed slope accessibility 30°
- side opening for cleaning
- accessory: sprung seat



TYPE	F-550B	F-550	F-700 HYDRO
Engine	B&S 875 EXI	HONDA GCV 190	HONDA GXV 390
Working width	58 cm	58 cm	70 cm
Area performance	950 - 1 300 m ² /h	950 - 1 300 m ² /h	up to 5 440 m ² /h
Number of speeds	2 (1,8 - 2,4 kph)	2 (1,8 - 2,4 kph)	continuous gear change (0-8,0 kph, R 0-1,5 kph)
Weight	55 kg	56 kg	135 kg
Article no.	4408	4380	4448

SWEEPING BRUSH AND WOOD CHIPPER



CB-80 SWEEPING BRUSHES

- high-quality components – worm gearbox of the brush and drive as well, bearings
- starting and control of all functions from the operator's place
- height adjustment of the handlebars in 6 positions
- strap holders for better fixation during the transport
- brush diameter of 34 cm, spiral arrangement of the brush
- adjustment of the hair pressure using the washers
- snow design of tyres
- it is possible to buy a set for converting the CB-80Z brush to a double speed machine (2,5 – 3,4 kph), article no. 4454

TYPE	CB-80Z	CB-80
Engine	VARI XP-200	HONDA GCV 160
Working width	80 cm	80 cm
Area performance	2 300 m ² /h	1 985 - 2 730 m ² /h
Number of speed	1 (2,9 kph)	2 (2,5 - 3,4 kph)
Weight	68 kg	67 kg
Article no.	4442	4440



BS-80 COLLECTOR

Article no.: 4445



OR-80 SNOW BLADE

Article no.: 4451



AP-80 DUST COVER

Article no.: 4443



RAPIDO POWER PLUS WOOD CHIPPER

- worm slow-running shredder with a double-threaded spiral
- self-feeding of the crushed material into the crushing head
- high efficiency and low noise level
- steel flywheel under the engine for the energy accumulation
- maximum operating speed 540 rpm
- powerful B&S 950 E engine

TYPE	RAPIDO POWER PLUS
Engine	B&S 950 E
Maximal diameter of crushed material	up to 60 mm (depends on the type, age and humidity of the crushed material)
Approximate size of wood chips	20 mm
Weight	61 kg
Article no.	4502

MAX MULTIFUNCTIONAL CARRIERS



HURRICANE MAX F-580, F-580BiS BRUSH CUTTERS WITH MULCHING BLADE

- set of a MaX multifunctional carrier and the VM-580 mulching adapter
- possible to change the mulcher for cutting drum, snow blade, passive brush or finger-wheel hay rake
- patented connection with adapters
- two travel speeds
- big 8" wheels
- height adjustment of the handlebars in 6 positions
- the first VARI multifunctional carrier with electric starter
- engine with the InStart technology exclusively for VARI
- up to 75 starts after battery charging
- 30 minutes for a full charge
- effortless starting with a push button

instart^{IS}
INSTANT STARTING TECHNOLOGY



CHARGE IT!



CLIP IT!



START!



MOW!



LUCINA MAX DRUM MOWER / LUCINA MAX BRUSH CUTTER

- multifunctional carrier with a cutting drum
- possible to change the cutting drum for mulching adapter, snow blade, passive brush or finger-wheel hay rake
- patented connection with adapters
- strap holders for better fixation during the transport
- two travel speeds
- big 8" wheels
- height adjustment of the handlebars in 6 positions
- BDR-620D Lucina MaX is equipped with an additional safety cover

instart^{IS}
INSTANT STARTING TECHNOLOGY

TYPE	BDR-620B	BDR-620	BDR-620D	F-580	F-580BiS
Engine	B&S 875 EXi	HONDA GCV 190	HONDA GCV 190	HONDA GSV 190	B&S 875 iS
Working width	62,2 cm	62,2 cm	62,2 cm	58 cm	58 cm
Area performance	up to 1 680 m ² /h	up to 1 680 m ² /h	up to 1 680 m ² /h	up to 1 500 m ² /h	up to 1 500 m ² /h
Number of speeds	2 (2,0 - 2,8 kph)	2 (2,0 - 2,8 kph)	2 (2,0 - 2,8 kph)	2 (2,0 - 2,8 kph)	2 (2,0 - 2,8 kph)
Weight	62 kg	63 kg	68 kg	59 kg	58 kg
Article no.	4430	4428	4499	4504	4505

MAX ACCESSORIES



BSX-620 DRUM MOWER

- intended for cutting long grass for drying
- new design of a HDG cover – tough and innovative
- disc with four blades (T-Bar bracing)
- original hardened VARI blades, working width of 62,2 cm

Article no.: 4506



VM-580 MULCHER

- intended for long grass cutting and mulching, copes with older grass and thin self-seeding plants
- patented design of the cutting space and the guiding spur
- hot-dip galvanised cover, solid GATOR mulching blade
- working width of 58 cm, cutting height adjustment
- possibility to add the mulcher front cover, article no. 4447

Article no.: 4429

NEW 2019



SH-600 FINGER-WHEEL HAY RAKE

- single row finger-wheel hay rake
- spring wires for better copying of the terrain
- wheels with ball bearings, working width of 60 cm
- height adjustable support wheel
- patented design, effortless connection

Article no.: 4517



SP-800 SNOW BLADE

- suitable for new-fallen snow, working width of 79 cm
- polypropylene sliding plates, easy connection to the machine

Article no.: 4450



PK-950 PASSIVE BRUSH

- ideal for pavements, especially interlocking pavements and access roads, working width of 95 cm
- continuous side adjustment
- very low dustiness while working with the brush
- long lifetime of the hairs – low abrasion

Article no.: 4459



RAPTOR HYDRO MULTIFUNCTIONAL CARRIER



RAPTOR HYDRO MULTIFUNCTIONAL CARRIER

- **new system of operation** – enables to change gears with no need to stop the blade drive
- tough pressed chassis parts
- TUFF TORQ K-46ED hydrostatic gearbox
- automatic differential lock
- antivibration placing of handlebars
- integrated clutch with adapter brake
- integrated additional fuel tank with the volume of 4,5 l
- comfortable and fast connection of the adapters
- accessories: additional air suction to prevent the air filter from impurities (art. no. 4510), support leg (art. no. 4507)

TYPE	RAPTOR HYDRO
Engine	B&S 950 E
Number of speeds	continuous gear change (0-8,0 kph, R 0-1,5 kph)
Weight	71 kg
Article no.	4470



**NORAM - VARI
CLUTCH/BRAKE**



for 4.00-8.00 wheels

SNOW CHAINS

Article no.: 4476



2x 11,5 kg

WHEEL WEIGHT

Article no.: 4473



AV-650 SEAT

- for comfortable cutting and cleaning of large areas
- sprung sheet-metal seat, innovated wheels and brakes
- footrests and telescopic bar
- loading capacity of 120 kg

Article no.: 4217



ANV-200 TRAILER

- sprung sheet-metal seat, reflecting glasses, comfortable footrests
- removable sidewalls and rear side, tilting body
- service and parking brakes
- loading capacity of 200 kg

Article no.: 4475

RAPTOR HYDRO ACCESSORIES



RBS-700 DRUM MOWER / RBS-700D BRUSH CUTTER

- intended for cutting long grass for drying, working width of 70 cm
- pressed double cutting disc VARI with 5 blades (T-Bar bracing)
- tough pressed chassis and robust shaft support
- RBS-700D brush cutter is equipped with an additional safety cover

Article no.: 4472, 4479



RMS-600 MULCHER

- mulches long grass using the GATOR mulching blade
- tough pressed chassis, patented placing of the blade
- height adjustable front spur, working width of 60 cm

Article no.: 4471

NEW 2019



RKV-1000 SWEEPING BRUSH

- for all year-round cleaning of flat surfaces, working width of 100 cm
- two operation speeds, bristles in a spiral design
- duralumin worm gearbox
- side adjustment from the operator's place
- two stabilizing wheels with fine adjustment
- side copying of the terrain ± 10 degrees
- wide accessory range – collector (art. no. 4458), snow blade (art. no. 4519)

Article no.: 4508



RSR-1000 DOZER BLADE

- intended for removing snow and bulk material from solid surfaces
- continuous side adjustment, spring suspension, with rubber edge
- zinc coated skid plate, working width of 100 cm

Article no.: 4478



ROP-115 HAY TEDDER

- for hay tedding and raking, grass aeration
- raking the fallen leaves
- new-fallen snow removing (using the optional snow blades)
- working width of 90 cm
- total width of 115 cm


Article no.: 4477



DRIVING UNITS

VARI DRIVING UNITS

- ecological four-stroke engines
- low fuel consumption c 0,8 l/h
- easy starting, integrated antivibration system
- optimised flange protecting the clutch
- 80 mm automatic centrifugal clutch
- height and side adjustment from the operator's place
- weight of the driving units range only about 23 kg



80 MM AUTOMATIC CENTRIFUGAL CLUTCH

TYPE	PJXP200	PJGCV160	PJGCV190 (HONDA GSV 190)
Engine	VARI XP-200	HONDA GCV 160	HONDA GSV 190
Engine displacement	196 cm ³	160 cm ³	187 cm ³
Technology	OHV	OHC	OHC
Torque	10 Nm	9,4 Nm	11,3 Nm
Cylinder sleeve	yes	no	yes
Article no.	4427	4369	4371

EQUIPMENT CONNECTED DIRECTLY TO DRIVING UNITS

DRUM MOWER

BDR-650V



Working width: 62,2 cm

Article no.: 4399

MULCHER

AF-550

- zinc coated cover of the cutting space
- GATOR mulching blade, guiding spur

NEW 2019



Working width: 58 cm
Speeds: 1,8 and 2,4 kph

Article no.: 4515

WOOD CHIPPER

RAPIDO

- worm slow-running shredder with a double-threaded spiral
- self-feeding of the crushed material into the crushing head



Max. diameter of crushed material: up to 50 mm
Approx. size of wood chips: 20 mm

Article no.: 4449

ROTARY HOE

RP-T2/S



Working width: 16, 22, 32, 38 cm
Working depth: 2-8 cm
Optional set for converting RP-T2/S into PP-60 (art. no. 4394)

Article no.: 4347

AERATOR/SCARIFIER

PP-60



Working width: 55 cm
Working depth: 5 mm

Article no.: 4379

PRESSURE WASHER

W3000V

- three different nozzles, suction of the detergent
- intended for four-stroke VARI driving units
- for more accessories visit www.vari.cz/en



Max. pressure: 2 900 PSI / 200 bar
Working pressure: 2 300 PSI / 159 bar
Flow rate: 8,5 l/min

Article no.: 3688

DSK-317.1/S GEARBOX + ACCESSORIES

**GEARBOX
DSK-317.1/S**



Article no.: 4224

**DRIVE AXLE
TN-GLOBAL**



Wheel size: 5.00-12"

Article no.: 4367

**INNER WEIGHT
FOR THE TN-GLOBAL, TN-01
DRIVE AXLE**



4 pcs, total weight 25 kg

Article no.: 4405

**COMPLETE HITCH
BZN-002**



Carrier, 33 kg weight,
NZ-5/317 carrier, 2x 5 kg
weight

Article no.: 3710

**ADJUSTING ELEMENT
NT-3**



For connection and adjustment
of VARI passive implements

Article no.: 3711

**LANCED LOOSENING
DEVICE
KUK-96, KUK-125**



For heavy soils
Working width 83/96, 125 cm

Article no.: 4375, 4376

**ANGULAR LOOSENING
DEVICE
KUR-70, KUR-112**



For lighter soils
Working width 60/70, 112 cm

Article no.: 4377, 4378

**FRONT TRANSPORT
WHEEL
VK-GLOBAL**



Adjustable height

Article no.: 4381

**SHARE HOLDER
WITH SHARE
N-3**



To the Z-01 hitch,
brakes the rotary tiller

Article no.: 3716

PASSIVE HOE



To the NM1-001 potato hiller
carrier (two hoes side by side)
or to the N-3 share holder

Article no.: 3769

**DIGGING SHARE
AVR-453**



For lighter soils
Working depth: 12 cm

Article no.: 3618

**DIGGING SHARE
AVB-400**



For heavy soils
Working depth: 12 cm

Article no.: 3664

**PLOUGHING WHEELS
PK-GLOBAL**



Article no.: 4402

**POTATO HILLER
SV-1**



Working width: 43 cm

Article no.: 3609

**2 SV-1 POTATO HILLERS
+ NM1-001 CARRIER**



Article no.: 4511

**MINITRACTOR VARI GLOBAL
WITH SWING PLOUGH APH-352**

- DSK-317.1/S gearbox (speeds: 3+R)
- TN-GLOBAL drive axle
- height and side adjustment of the handlebars
- APH-352 swing plough
- BZN-002 complete hitch
- NT-3 adjusting element

Article no.: 4432 + 3611 + 3710 + 3711



**ROTARY TILLER VARI GLOBAL
WITH LOOSENING DEVICE KUK-96**

- DSK-317.1/S gearbox (speeds: 3+R)
- KUK-96 loosening device with lanced blades
- height and side adjustment of the handlebars
- Z-01 hitch for connection of N-3
- N-3 share holder with share
- complete cover, VK-GLOBAL front wheel

Article no.: 4422



DSK-317.1/S ACCESSORIES

PLOUGHING GIRDLES ON TN-GLOBAL



For wheels 5.00-12"

Article no.: 4406

ONE-WAY PLOUGH APJ-018 R/L RIGHT, LEFT



Working width / Ploughing depth: 18 cm

Article no.: 3612 (R), 3635 (L)

SWING PLOUGH APH-352



Working width / Ploughing depth: 18 cm

Article no.: 3611

PULLED AERATOR PT-1000



Working width: 90 cm

Article no.: 4398

PULLED ROLLER VT-1000



Working width: 100 cm

Article no.: 4396

CULTIVATOR AKY-356



Working width: 70 cm

Article no.: 3616

SMOOTHING HARROW S-1000



Working width: 100 cm

Article no.: 3671

CULTIVATOR WITH ROLLER K-720



Working width: 72 cm

Article no.: 3770

SPIKE-TOOTH HARROW BH-138



Three-row Working width: 90 - 138 cm

Article no.: 3614

SPIKE-TOOTH HARROW ABR-354



Double-row Working width: 49 - 117 cm

Article no.: 3613

POTATO PLANTER SB-40



For up to 20 kg potatoes
Wheel gauge: 61 cm

Article no.: 4363



DOZER BLADE ASR-1000



Working width: 100 cm
Lifting rod, spring suspension

Article no.: 4328

IMPLEMENT CARRIER AV-3



Loading capacity 250 kg,
sprung seat, service brake
with lock, adjustable height
of the hitch

Article no.: 3791

THIRD WHEEL TK-01 NEW 2019



For easier operation with
a minitractor and better
machine stability, useful for
pulling the wood

Article no.: 4516

MINITRACTOR VARI GLOBAL WITH TRAILER ANV-400

- DSK-317.1/S gearbox (speeds: 3+R)
- TN-GLOBAL drive axle
- height and side adjustment of the handlebars
- Z-01 hitch

TRAILER ANV-400

- loading capacity of 400 kg
- reflecting glasses
- sprung ergonomic seat
- 12" wheels, car tyres
- strap holders
- service and parking brakes

TRAILER ANV-380

- loading capacity of 380 kg
- reflecting glasses
- sprung ergonomic seat
- tilting body
- service and parking brakes
- comfortable footrests

Article no.: 4419



Article no.: 4410



Article no.: 4460

DSK-316 GEARBOX + ACCESSORIES

**GEARBOX
DSK-316.1PSVN**



Number of speeds: 1 forwards

Article no.: 4262

**GEARBOX
DSK-316.1PSZ**



Number of speeds: 1+R

Article no.: 4275

SNOW CHAINS



For DSK-316 PSVN and PSZ
produced since 2009

Article no.: 4330

**GARDEN
SHREDDER
KAJMAN-55**



Branch diameter: up to 55 mm

Article no.: 4431

**DRUM MOWER
SAMSON-56 / 56D**



Working width: 56 cm

Article no.: 3648, 4144

**MULCHER
TAJFUN-52**



Working width: 52 cm

Article no.: 4150

**BAR MOWER
LSE-120**



Working width: 117 cm

Article no.: 4309

**SWEEPING BRUSH
KV-100/Z**



Working width: 100 cm

Article no.: 4031

**COLLECTOR
BS-100**



For KV-100 and KV-100/Z

Article no.: 4458

**DOZER BLADE
ASR-850**



Working width: 85 cm

Article no.: 3808

**SNOWTHROWER
SF-55**



Working width: 55 cm

Article no.: 3677

**HAY TEDDER
OP-115, OP-145**



Working width: 90, 120 cm

Article no.: 4493, 4494

SNOW BLADES



OP-115 – 8 snow blades
OP-145 – 10 snow blades

Article no.: 3758

**SEAT
AV-650**



Comfortable sprung seat with
side support

Article no.: 4217

FOR USERS OF TERRA VARI

Accessories for older
T-20 and DSK-317
(till 2012) gearboxes
with the axle pin

**GEARBOX
DSK-317/S**



For 4-stroke
VARI-HONDA engines
Number of speeds: 3+R

Article no.: 3421

**LOOSENING DEVICE -
LANCED BLADES
AKY-357**



Working width: 95, 52-110 cm

Article no.: 4366, 3718

**LOOSENING DEVICE -
ANGULAR BLADES
AKY-358**



Working width: 80, 25-115 cm

Article no.: 3746, 3717

**DRIVE AXLE
TN-01 (5x12")**



Article no.: 3706

LAWNMOWERS



VARI FM 3310, VARI FM 3813 ELECTRIC LAWMOWERS

- electric lawnmowers suitable for the area up to 500 m², 700 m²
- cutting width of 31 cm, 37 cm
- high-quality Direct Drive electric engine
- collecting to grass bag, rear discharge
- individual cutting height adjustment (3 positions)
- wheels on plain bearings
- collecting box and mower deck made of high-quality plastic
- rear wheel diameter 170 mm, front wheels 140 mm
- straight, tilting handlebars
- made in EU

VARI CSL 464 G PETROL LAWMOWER

- pushed petrol lawnmower
- GGP RS 100 / Loncin 99 cm³ engine
- plastic grass bag
- individual cutting height adjustment (5 positions)
- steel deck, collecting to grass bag, rear discharge
- fuel primer

VARI CSL 484 G PETROL LAWMOWER

- self-propelled petrol lawnmower
- perfect price / power ratio
- GGP WB 45 / Loncin 140 cm³ engine
- steel deck, collecting to grass bag, rear discharge
- central cutting height adjustment (5 positions)
- big wheels with ball bearings
- ergonomic handle, soft grip
- fuel primer

VARI CSL 484 H PETROL LAWMOWER

- 4 in 1 mower – mulching, collecting to grass bag, side and rear discharge
- HONDA GCV 160 engine, ACS auto choke
- central cutting height adjustment (5 positions)
- steel deck
- safety blade brake
- big wheels with ball bearings
- combined grass bag
- ergonomic handle, soft grip

TYPE	FM 3310	FM 3813	CSL 464 G	CSL 484 G	CSL 484 H
Engine	230 V / 50 Hz / 1000 W	230 V / 50 Hz / 1300 W	GGP LONCIN RS 100	GGP LONCIN WB 45	HONDA GCV 160
Working width	31 cm	37 cm	46 cm	48 cm	48 cm
Cutting height	30 - 60 mm	30 - 60 mm	30 - 70 mm	27 - 80 mm	27 - 80 mm
Bag volume	28 l	35 l	60 l	60 l	60 l
Weight	11,5 kg	14 kg	24 kg	30 kg	30 kg
Article no.	3550	3551	3552	3553	3691

LAWNMOWERS



VARI MP1 504 B, VARI MP1 554 B PETROL LAWMOWERS

- 4 in 1 mower – mulching, collecting to grass bag, side and rear discharge
- BRIGGS & STRATTON engine
- READY START auto choke starter
- central cutting height adjustment (5 positions)
- steel deck, hose connector for deck washing
- EVO gearbox for smooth start
- safety blade brake
- big wheels with ball bearings
- combined grass bag, collector filling indicator
- De Luxe ergonomic handle
- easy access to the grass bag



instart^{IS}
INSTANT STARTING TECHNOLOGY



VARI MP1 504 BiS PETROL LAWMOWER

- 4 in 1 mower with InStart – mulching, collecting to grass bag, side and rear discharge
- BRIGGS & STRATTON engine, INSTART – start at the touch of a button
- central cutting height adjustment (5 positions)
- steel deck, hose connector for deck washing
- EVO gearbox for smooth start
- safety blade brake
- big wheels with ball bearings
- combined grass bag, collector filling indicator
- De Luxe ergonomic handle
- easy access to the grass bag



NEW 2019



VARI MP1 554 H PETROL LAWMOWER

- 4 in 1 mower – mulching, collecting to grass bag, side and rear discharge
- **HONDA GCVx 170 engine**, ACS auto choke
- VARIO gearbox – continuous speed regulation
- central cutting height adjustment with indicator (6 positions)
- steel deck, hose connector for deck washing
- safety blade brake
- big wheels with ball bearings
- big combined grass bag
- collector filling indicator
- De Luxe ergonomic handle
- easy access to the grass bag



instart^{IS}
INSTANT STARTING TECHNOLOGY

TYPE	MP1 504 B	MP1 554 B	MP1 504 BiS	MP1 554 H
Engine	B&S 625 E	B&S 675 EXI	B&S 575 iS	HONDA GCVx 170
Working width	50 cm	55 cm	50 cm	55 cm
Cutting height	25 - 65 mm	25 - 80 mm	25 - 65 mm	25 - 80 mm
Bag volume	70 l	70 l	70 l	70 l
Weight	31 kg	35 kg	32 kg	40 kg
Article no.	3692	3693	3554	3694

LAWN TRACTORS



NEW 2019



VARI RL 84 H, VARI RL 98 H LAWN TRACTORS

- lawn tractors with electric start
- working width of 84 cm, 98 cm, double blade cutting device
- powerful GGP engine, displacement of 432 cm³, 452 cm³
- hydrostatic gearbox, wide 15" and 18" wheels, robust frame
- cutting height adjustment (7 positions)
- adjustable ergonomic comfortable seat
- perfect grass collection thanks to a short and direct discharge chute
- tone alerting of the grass bag filling
- electromagnetic cutting clutch
- anti-scalp wheels of the cutting device
- battery charger included

TYPE	RL 84 H	RL 98 H
Engine	GGP LONCIN 7500	GGP LONCIN 7750
Engine displacement	432 cm ³	452 cm ³
Working width	84 cm	98 cm
Cutting height	25 - 80 mm	25 - 80 mm
Bag volume	240 l	240 l
Fuel tank volume	6 l	6 l
Weight	182 kg	202 kg
Article no.	3555	3556

NT 2 TIPPING TRAILER

- tipping body and rear side
- grass design of tyres for grass protection
- loading area dimensions 1 050 x 770 x 300 mm (l x w x h)

Article no.: 4528

RL 84 H, RL 98 H MULCHING KIT

- mulching without using the grass bag
- two mulching blades
- mulching plug to be put into the discharge chute

Article no.: 3559, 3560

RL 84 H, RL 98 H DEFLECTOR

- for cutting grass without the grass bag
- better guiding of the cut grass
- prevents small stones from flying off

Article no.: 3558

RL 84 H, RL 98 H HITCH

- for connecting various accessories – trailers, aerators etc.

Article no.: 3561

PT-1000 PULLED AERATOR

- intended for scarifying lawns in gardens or football fields
- 11 star-shaped blades with 121 points
- easy transport using the tilting wheels

Article no.: 4398

MACHINES FOR HOME AND GARDEN



2300 W ELECTRIC CHAIN SAW

- strong electric engine
- steel gearing
- automatic chain lubrication
- manual chain tension system Quick Tension
- high-quality OREGON bar and chain
- safety chain brake

TYPE	2300 W
Engine	230 V / 50 Hz / 2300 W
Bar length	40 cm (OREGON)
Chain speed	13,5 m/s
Oil tank volume	0,2 l
Weight	4,7 kg
Article no.	4329



VARI KP-500, KP-700 SWIVEL LOG SAWS

- heavy duty and compact construction
- direct drive of the saw blade from the engine
- hard metal saw blade
- cradle returning using the spring

TYPE	KP-500	KP-700
Engine	230 V / 50 Hz / 3000 W / IP 54	400 V / 50 Hz / 5000 W / IP 54
Saw blade	505 mm	700 mm
Weight	57 kg	93 kg
Article no.	3681	3682



VARI KF-140 ROTARY TILLER

- for greenhouses and small gardens
- compact and powerful tiller
- lanced blades, conical clutch
- duralumin worm gearbox
- continuous height adjustment of the handlebars

VARI KF-200, KF-H160, KF-675BiS ROTARY TILLERS

- for greenhouses and middle-sized gardens
- lanced blades, conical clutch
- duralumin worm gearbox
- height and side adjustment of the handlebars
- accessories: one-way plough, reduction gearbox, drive axle, ploughing girdles

TYPE	KF-140	KF-200	KF-H160	KF-675 BiS
Engine	VARI XP-140	VARI XP-200	HONDA GCV 160	B&S 675 IS
Working width	60 cm	60 cm	60 cm	60 cm
Weight	30 kg	49 kg	48 kg	51 kg
Article no.	4467	4468	4469	4534



VARI W3000Z PRESSURE WASHER

- high-quality pump: duralumin, steel, brass
- three nozzles: 15°, 40°, soap nozzle
- possible to suck in the detergent
- big transport wheels and handle
- for more accessories visit www.vari.cz/en

TYPE	W3000Z
Engine	VARI XP-200
Max. pressure	2 900 PSI / 200 bar
Working pressure	2 300 PSI / 159 bar
Flow rate	8,5 l/min
Weight	26 kg
Article no.	3687

LOG SPLITTERS

NEW 2019

NEW 2019

NEW 2019

NEW 2019

HORIZONTAL LOG SPLITTER VARI 5 TON

- horizontal hydraulic log splitter
- suitable for preparing wood for fireplaces
- handle and two transport wheels
- the wire guard meets new EU safety regulations
- option: stand



STAND

Article no.: 4539




VERTICAL LOG SPLITTER VARI 8 TON 230 V, 400 V

- system FORCE
- robust construction
- transport wheels and handle
- both-handed operation meets new EU safety regulations
- 4 l oil filling as a basic equipment
- splitting cross and wide wedge included



VERTICAL LOG SPLITTER VARI 11 TON, 14 TON

- for more demanding usage
- stable frame and robust construction, two working speeds
- possible to decline the piston for easy transport and storage
- phase convertor as a part of switch
- transport wheels and the third wheel for easy transport
- both-handed operation meets new EU safety regulations



VERTICAL LOG SPLITTER VARI 18 TON, 22 TON

- professional log splitter
- possibility to transport on a three-point hitch, drive using the electric engine or the tractor cardan shaft (22 TON)
- stable frame and robust construction, two working speeds
- possible to decline the piston for easy transport and storage
- phase convertor as a part of switch
- both-handed operation meets new EU safety regulations



TYPE	5 TON SUPER FORCE	8 TON SUPER FORCE	8 TON SUPER FORCE	11 TON SUPER FORCE	14 TON SUPER FORCE	18 TON SUPER FORCE	22 TON SUPER FORCE
Engine	230 V / 50 Hz / 2200 W / IP 54	230 V / 50 Hz / 3000 W / IP 54	400 V / 50 Hz / 3000 W / IP 54	400 V / 50 Hz / 3300 W / IP 54	400 V / 50 Hz / 3500 W / IP 54	400 V / 50 Hz / 4500 W / IP 54	400 V / 50 Hz / 5100 W / IP 54
Splitting force	5 t	8 t	8 t	11 t	14 t	18 t	22 t
Hydraulic pressure	20,6 MPa	21 MPa	21 MPa	25,5 MPa	24,6 MPa	27,8 MPa	27,5 MPa
Log size	5-25 / 20 - 52 cm	8 - 30 / 10 - 55 cm	8 - 30 / 10 - 55 cm	10 - 30 / 56 - 104 cm	10 - 30 / 56 - 104 cm	8 - 32 / 56 - 110 cm	8-35 / 56-110 cm
Weight	50 kg	110 kg	109 kg	173 kg	185 kg	262 kg	320 kg
Article no.	4537	4513	4514	4523	4524	3703	4525

VARI, a.s. on the basis of its inner provisions and continuous product innovations reserves the right to make changes in design and colours of the products listed in this catalogue, anytime and without prior notice, without extending the scope of its duties. It is forbidden to copy the documents and pictures in any form without consent of the publisher. Technical changes and printing errors reserved. Published by VARI, a.s.

Your seller / Distributor:



EUROPEAN UNION
European Regional Development Fund
Operational Programme Enterprise
and Innovations for Competitiveness